The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24383

Stream : Cline Creek

Applicant : Town of Roachdale

Theodore E Knowling

PO Box 198

Roachdale, IN 46172-0198

Description : Approximately 50' of the creek will be straightened. The excavated material from

the west bank will be used as fill on the east bank. The banks will be stabilized with riprap. Details of the project are contained in information and plans received

at the Division of Water on June 20, 2007 and August 16, 2007.

Location : Beginning approximately 100' south of the State Road 236 crossing and

continuing southeast for approximately 50'

near Roachdale, Franklin Township, Putnam County

NW1/4, NE1/4, NW1/4, Section 12, T 16N, R 3W, Roachdale Quadrangle

Quad Code: 3908677

UTM Coordinates: Downstream 4411015 North, 516608 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24395

Stream : Little Calumet River

Applicant : Town of Porter

Bill Sexton

Redevelopment Commission

303 Franklin Street Porter, IN 46304-1720

Description

: A bridge will be constructed over the Little Calumet River as part of the Orchard Pedestrian Way to provide a pedestrian path across the river. The new structure will be four simply-supported bridge spans that bear on concrete piers. The span across the river will be approximately 75'. The remainder of the spans that do not cross the river are approximately 60'. The clear width of the bridge will be 10' and the overall width will be 12'. The simply supported bridge is anticipated to be either wood or structural steel trusses. The concrete piers that are immediately adjacent to the river will be parallel to the river at that location to align with the stream flow. The other bridge piers will be skewed approximately 10 degrees to the river but are placed at a higher elevation not impacting normal flow rates. No temporary construction access across the river is anticipated. A construction road is proposed on either side of the river. To construct the piers adjacent to the stream, a temporary earthen cofferdam is anticipated. However, it is not anticipated that the cofferdam will be constructed into the river to impede the flow. Once the piers are completed, the cofferdams will be removed. The project is partially federally funded through the Indiana Lake Michigan Coastal Program. Details of the project are contained in information received electronically at the Division of Water on July 3, 2007 and in plans and information received at the Division of Water on August 16, 2007.

Location

: The west side of Waverly Road just south of I-94 north near Porter, Westchester Township, Porter County

NE14, NE14, NE14, Section 35, T 37N, R 6W, Chesterton Quadrangle

Quad Code: 4108751

UTM Coordinates: Downstream 4607825 North, 494363 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24426

Stream : Iroquois River

Applicant : City of Rensselaer

Kenny L Haun

124 South Van Rensselaer Street Rensselaer, IN 47978-2815

Description

: A pedestrian bridge to be constructed over Iroquois River, allowing for the connection of the existing Red Bud Trail system, and easy access to the Weston Cemetery. The main webs of the bridge will be constructed from steel ¼" by 19" by 95' along with 4" I-Beams 4' long being used as cross members. Main decking to be from 1-3/8" hardwood. An additional 45" by 4' ramps will be used at grade level and will be elevated to a maximum of 7' in the 45' run. The structure will have a total length of 185' the supporting piers will be place approximately 12' from the floodway and placed in the flood fringe. Supporting piers will be made of formed concrete with rebar reinforcement. Banked sideslopes armored with limestone riprap placed over a geotextile fabric. The abutments and piers will be skewed to align with stream flow. The main bridge and ramps will have equipped hand railing along the sides to insure the safety of citizens. The project is through funded through donations. Details of the project are contained in information received electronically at the Division of Water on July 26, 2007 and in plans and information received at the Division of Water on August 14, 2007.

Location

: Approximately 1800' west of the Home Avenue and US 231 intersection

at Rensselaer, Marion Township, Jasper County

SE1/4, SE1/4, NE1/4, Section 25, T 29N, R 7W, Rensselaer Quadrangle

Quad Code: 4008782

UTM Coordinates: Downstream 4531482 North, 486330 East

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24435

Stream : Niles Ditch

Applicant : Michael Kratofil

8900 Keystone Crossing

Suite 775

Indianapolis, IN 46240-7644

Description : The existing 121st avenue single span stream crossing will be resurfaced. Riprap

and geotextiles will be placed immediately upstream and downstream of the stream crossing for bank stabilization. Details of the project are contained in information and plans received at the Division of Water on July 31, 2007.

Location : At the 121st Avenue stream crossing

near Crown Point, Center Township, Lake County E½, Section 14, T 34N, R 8W, Crown Point Quadrangle

Quad Code: 4108743

UTM Coordinates: Downstream 4583018 North, 474780 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24455

Stream : Wabash River

Applicant : **Indiana Department of Natural Resources

Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A new 8' wide by 60' long concrete ramp is proposed. Approximatley 14 cu.

yards of riprap will be used for the ramp base and river bank for erosion control. In addition, a 75' by 66' gravel parking ara will be constructed in a vacant lot adjacent to the proposed ramp. Details of the project are contained in information and plans received at the Division of Water on August 14, 2007.

Location : On the north river bank along East Wabash Avenue

near Logansport, Eel Township, Cass County

NE¼, SW¼, SE¼, Section 31, T 27N, R 1E, Logansport Quadrangle

Quad Code: 4008673

UTM Coordinates: Downstream 4511050 North, 553925 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24458

Stream : Harper Ditch

Applicant : Vanderburgh County

Bill Jeffers

Civic Center Complex, Room 305

Evansville, IN 47708-1833

Description

The intersection of State Road 62 and Green River Road will be rehabilitated. As part of this intersection rehabilitation, the existing culverts carrying Hirsh Ditch Legal Drain under Green River Road will be replaced. Structure 33 carrying Hirsh Ditch Legal Drain under Green River Road is a 2,400-mm (94 inch) culvert that has a 45-degree bend in the center. Structure 34 carrying Hirsh Ditch Legal Drain under Green River Road is a 1,800-mm (70 inch) culvert. It is proposed that approximately five meters (16.4 feet) of culvert on the western end and 12 meters (39.4 feet) of culvert on the eastern end of Structure 33 will be removed, and the pipe ends plugged. The remaining portion of the culvert will stay in place. Structure 34 will be removed entirely and replaced with Structure 54, which is a 3,658-mm by 2,438-mm (~12 foot by 8 foot) concrete box culvert 50 meters (164 feet) long. The replacement is necessary to increase the hydraulic capacity of the structure and to help reduce upstream flooding. Additionally, approximately 20 meters (65.6 feet) of riprap will be used to stabilize the streambed and bank both upstream and downstream of the new structure. It is not anticipated that any tree removal will be required along Hirsh Ditch Legal Drain as part of this project. Details of the project are contained in information received electronically at the Division of Water on August 20, 2007 and in plans and information received at the Division of Water on

Location

: The proposed project is located at the intersection of SR 62 (Morgan Avenue)

and Green River Road

at Evansville, Knight Township, Vanderburgh County Section 23, T 6S, R 10W, Newburgh, IN-KY Quadrangle

Quad Code: 3708784

Statute/Rule

Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : FW-24461

Stream : Laughery Creek

Applicant : Ripley County Board of Commissioners

Owen T Heaton, Jr.

2710 North Hasmer Hill Road Osgood, IN 47037-9020

Description : Erosion damage to the existing pier wall will be repaired with the construction of a

reinforced concrete toe wall keyed into the bedrock below the flowline of Laughery Creek. Also, a scour hole that has developed around the pier will be filled in to protect the new toe wall and the pier from additional erosion damage. The toe wall will be 2' wider in length and width than the pier, but will not extend

above the top of the proposed fill. The top of the proposed fill will be 1' to 2' lower than the surrounding ground. The plan area to be filled is approximately 3340 square feet (0.08 acre), rough circular in shape, and varies in depth from 0 to 5'. This hole is an ineffective portion of the high water flow area. The approach roads will not be raised. All work will occur outside of the low flow channel. Details of the project are contained in information received electronically at the Division of

Water on August 22, 2007 and in plans and information received at the Division of

Water on

Location : Cave Hill Road where it crosses Laughery Creek. Approximately 6.2 mi. SE of

Versailles.

Near Olean, Johnson Township, Ripley County Section 33, T 7N, R 12E, Milan Quadrangle

Quad Code: 3908512

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

Application # : PL-20796

Lake : Oliver Lake

Applicant : Oliver Lake Resort Cooperative, Inc.

Ken Wilson

210 Growth Parkway Angola, IN 46703-9331

Description : A temporary group pier will be placed at the south end of the applicant's frontage

to provide dock space for approximately 34 watercraft. The new pier will be extend approximately 150' lakeward of the lake's legal shoreline. Also, a total of 22 temporary piers will be placed along the channel frontage to provide dock space for approximately 44 watercraft. The piers will be spaced 22' from each other along the channel. A new bioengineered seawall will be constructed across 487' of the applicant's channel frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The channel bank will be slightly regraded prior to seawall installation. In addition, a 317' glacial stone retaining wall will be placed above Oliver Lake's Legally Established Lake Level and landward of the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on July 3, 2007, July 20.

2007, August 1, 2007 and August 22, 2007.

Location : 525 East 450 South; Lot 2 of Misners Homeland Estates

DOWNSTREAM: near LaGrange, Johnson Township, LaGrange County SE¼, SE¼, NW¼, Section 18, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4603914 North, 632234 East

UPSTREAM:

UTM Coordinates: Upstream 4604056 North, 632185 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20826

Lake : Simonton Lake

Applicant : Richard and Kathryn Rhodes

26189 Lake Drive Elkhart, IN 46514

Description : A concrete seawall will be constructed across 50' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on July 23, 2007 and August 6, 2007.

Location : 26189 Lake Drive

near Elkhart, Osolo Township, Elkhart County

SW¼, SE¼, NE¼, Section 17, T 38N, R 5E, Elkhart Quadrangle

Quad Code: 4108568

UTM Coordinates: Downstream 4622177 North, 585622 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20827

Lake : Hamilton Lake

Applicant : Earl Stuckey

18120 Road K

West Unity, OH 43570

Description : A concrete seawall will be constructed across 65' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of

Water on July 23, 2007 and August 16, 2007.

Location : 1515 Lane 280; Lot 23 of Forest Park First Addition

near Hamilton, Otsego Township, Steuben County

SE14, NE14, SW14, Section 28, T 36N, R 14E, Hamilton Quadrangle

Quad Code: 4108458

UTM Coordinates: Downstream 4601674 North, 673190 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20830

Lake : Crooked Lake

Applicant : Alan and Jody Steury

4475 County Road 68 Auburn, IN 46706-9640

Description : A concrete seawall will be constructed across 40' of the applicant's frontage. The

lakeward face of the wall will be located along the lake's legal shoreline. A 12" layer of glacial stone will be placed at the base of the wall for toe protection. Details of the project are contained in information and plans received at the

Division of Water on July 25, 2007 and August 3, 2007.

Location : 2275 West Orland Road; Lot 2 of Hollywood Landing

near Angola, Pleasant Township, Steuben County

NE¼, NW¼, SE¼, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615961 North, 663535 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20831

Lake : Crooked Lake

Applicant : Jonathon Beery

407 Macon Avenue

Louisville, KY 40207-3764

Description : A concrete seawall will be refaced with a layer of concrete across 42' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on July 25, 2007 and August 2, 2007.

Location : 2275 West Orland Road; Lot 1 of Hollywood Landing

near Angola, Pleasant Township, Steuben County

SE¼, SW¼, NE¼, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615973 North, 663519 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20842

Lake : Snow Lake

Applicant : Dean Teagno

10633 Lone Eagle Way Fort Wayne, IN 46845-1160

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 2, 2007.

Location : 360 Lane 852

near Fremont, Jamestown Township, Steuben County

NW1/4, SE1/4, NW1/4, Section 27, T 38N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4621282 North, 664488 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20844

Lake : Loon Lake

Applicant : Leroy Fromader

5914 South Red Bud Lane Columbia City, IN 46725-9400

Description : A 15' by 35' underwater beach will be constructed across 15' of the applicant's

frontage by placing a uniform layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on August 3, 2007.

Location : 5914 South Red Bud Lane

near Wolf Lake, Noble Township, Noble County

SW¼, SW¼, SW¼, Section 31, T 33N, R 9E, Ormas Quadrangle

Quad Code: 4108535

UTM Coordinates: Downstream 4569515 North, 622691 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20847

Lake : Wabee Lake

Applicant : Donald W Mangun

733 Camp Mack Road Milford, IN 46542-9004

Description : A concrete seawall will be refaced with a layer of concrete across 50' of the

applicant's 50' frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 8, 2007.

Location : 733 Camp Mack Road, Lot 32, Shady Banks MD Neff Addition, north side of

Wabee Lake

DOWNSTREAM: near Milford, Van Buren Township, Kosciusko County

SW1/4, SE1/4, SE1/4, Section 16, T 34N, R 6E, Milford Quadrangle

Quad Code: 4108547

UTM Coordinates: Downstream 4582958 North, 597848 East

UPSTREAM: Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20850

Lake : Clear Lake

Applicant : **Indiana Department of Natural Resources

Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street, Room W273

Indianapolis, IN 46204-2781

Description : A rehabilitation of a public access site is proposed. Specific project information

will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of

Water on August 8, 2007.

Location : At the public access site near Arcadia Beach

near Fremont, Clear Lake Township, Steuben County

SW1/4, NE1/4, NE1/4, Section 29, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle

Quad Code: 4108467

UTM Coordinates: Downstream 4622076 North, 680871 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

RASR010 11 08/23/2007 9:21 AM

Application # : PL-20852

Lake : Lake Wawasee

Applicant : Ander-Green, Inc.

6521 East Cornelius Road Syracuse, IN 46567-9767

Description : Three (3) temporary group piers will be placed in front of the applicant's frontage

to provided access and mooring facilities. The aluminum piers are 4' wide. Pier A will extend 175' into the lake and will accommodate 14 boat slips and 19 personal watercraft. Pier B will extend 175' into the lake and will accommodate 22 boat slips. Pier C will extend 122' into the lake and will accommodate 14 boat slips. The piers will be supported by auger poles, which will be placed in the lakebed using hand held tools. Details of the project are contained in information and plans

received at the Division of Water on August 13, 2007.

Location : 10011 North Turkey Creek Road Unit 1

near Syracuse, Turkey Creek Township, Kosciusko County

NE14, NW14, NW14, Section 25, T 34N, R 7E, Lake Wawasee Quadrangle

Quad Code: 4108546

UTM Coordinates: Downstream 4581690 North, 611245 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20853

Lake : Hill Lake

Applicant : Carr Land-Hill Lake, LLC

Rick Rokstool

4406 Stonewood Court Rochester, MI 48306-4611

Description : A 30' x 30' underwater beach will be constructed across 30' of the applicant's

frontage by placing a uniform 4" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water

on August 14, 2007 and August 21, 2007.

Location : 8540 South 425 West; Compass Court Campground

near Silver Lake, Seward Township, Kosciusko County

NE14, NE14, SE14, Section 25, T 31N, R 5E, Silver Lake Quadrangle

Quad Code: 4108518

UTM Coordinates: Downstream 4551256 North, 591605 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20854

Lake : Crooked Lake

Applicant : Scott T Smith

2683 North State Road 127 Angola, IN 46703-7519

Description : A new concrete seawall will be constructed across 46' of the applicant's 62'

frontage. The lakeward face of the wall will be located along the lake's legal shoreline. The existing glacial stone seawall will be completely removed. Also, a concrete seawall will be refaced with a layer of concrete across 16' of the applicant's 62' frontage. The reface layer will be keyed to the wall's lakeward face. In addition, a 25' by 20' underwater beach will be constructed across 20' of the applicant's 62' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at

the Division of Water on August 13, 2007.

Location : 3930 West Shadyside

near Angola, Pleasant Township, Steuben County

SE14, SW14, SW14, Section 8, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615172 North, 661180 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20857

Lake : Crooked Lake

Applicant : Phillip H Mayberry

340 Lane 375 Crooked Lake Angola, IN 46703-9141

Description : A concrete seawall will be refaced with a layer of concrete across 72' of the

applicant's frontage. The reface layer will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the

Division of Water on August 15, 2007.

Location : 340 Lane 375; Lot 16 of Long Beach

near Angola, Pleasant Township, Steuben County

SE1/4, NW1/4, SE1/4, Section 9, T 37N, R 13E, Angola West Quadrangle

Quad Code: 4108561

UTM Coordinates: Downstream 4615714 North, 663672 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20859

Lake : Clear Lake

Applicant : Jay and Debra Yoder

12423 St Joe Road Grabill, IN 46741-9411

Description : A glacial stone seawall will be constructed across 50' of the applicant's frontage.

The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the

Division of Water on August 16, 2007.

Location : 48 Lake Drive

near Fremont, Clear Lake Township, Steuben County

NE¼, NW¼, SW¼, Section 19, T 38N, R 15E, Clear Lake, IN-OH-MI Quadrangle

Quad Code: 4108467

UTM Coordinates: Downstream 4622935 North, 678351 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20861

Lake : Big Chapman Lake

Applicant : Tamara S Phillips

320 West Arthur Street Hicksville, OH 43526-1026

Description : An access will be excavated to provide access. The channel is approximately

175' long, 15' wide and will be excavated to a depth of 5' below the existing grade. It has 1:1 side slopes which were stabilized with concrete. Fill removed from the excavation will be hauled to a disposal site located outside of the floodway where it will be graded and seeded. The construction will require the excavation of 15 yds of material. Maintenance dredging will be performed on an as needed basis. During construction an earthen plug will separate the river from the channel. Once the excavation has been completed and stabilized, the plug will be removed and the channel flooded. Details of the project are contained in information received electronically at the Division of Water on August 21, 2007

and in plans and information received at the Division of Water on

Location : 1015 Chapman Lake Drive

near Warsaw, Plain Township, Kosciusko County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20862

Lake : Wabee Lake

Applicant : Michael Gumz

4825 State Road 331 South Bremen, IN 46506-9723

Description : A new vinyl seawall will be constructed along 107' of the applicant's property

following the lakes legal shoreline. The wall will consist of 18" x 7' sheets driven 5' into the lakebed leaving a 2' exposure from the lake bottom. The wall will then be caped with an aluminum cap with a heavy aluminum whale insert under the cap that will be tied back to the bank every 4.5' with are deadmen system. Clean pea stone will be used for backfill behind the wall then topped of with 3 to 4" of screened topsoil graded to the existing ground level. A 20' by 10' underwater beach will be installed in the center of the property; clean pea gravel will be pumped to the lake and spread in a very uniform 6" layer by working with a floating discharge hose. Details of the project are contained in information received electronically at the Division of Water on August 22, 2007 and in plans

and information received at the Division of Water on

Location : 215 East Nelson Drive

near Milford, Van Buren Township, Kosciusko County

Section 16, T 34N, R 6E

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Rule, 312 IAC 11

Application # : PL-20863

Lake : Lake Maxinkuckee

Applicant : Stephen J Spaw

7 Venetian VIg

Culver, IN 46511-9724

Description : A 53' x 92' area at the end of a man made channel will be dredged out to a

maximum of 4' to maintain boat traffic and temporary storage. The current pier configuration will be removed for good. All dredge material will be trucked off site

to an upland dumpsite. Details of the project are contained in information

received electronically at the Division of Water on August 22, 2007 and in plans

and information received at the Division of Water on

Location : 7 Venetian VIg

near Culver, Union Township, Marshall County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake